

P Cabling

We realize ideas

Data sheet

Page 1/4


OpDAT REG Splice Distributor for pre-terminated cables

P/N 15024B10-E EAN 4251122179716

2017-07-02

Illustrations





See enlarged drawings at the end of document

Product specification

- · Very compact splice distributor for TH35 rail
- · Flat design with an inclined outlet (connections facing downward) and a large cabling space
- · Great ease of use even with high cable channels in the immediate surroundings
- To mount pigtails or pre-terminated installation cables (VIKs)
- · Modular design: housing, equipped front plate and splice tray are to be ordered separately
- Visible area with label strip
- The rail bracket can be mounted in different positions to the housing to allow for several mounting variants.
- Cable feed from top or bottom with a strain relief M20 (available as an option).
- Front plate (3RU/7HP) with LC-Quad, SC-Duplex, ST or E2000 adapters. Other types available on demand.
- 3 variants available:
- OpDAT S V = for pre-terminated cables
- OpDAT S Splice C = for 12 splices with crimp splice holders
- OpDAT S Splice S = for 12 splices with shrink splice holders
- · Particularly solid rail bracket
- · With one captive screw of the cover
- Suitable for mixed equipment with fiber optic and copper based technology
- With a mounted blind plate it can be used on the rail as splice box only or also as a transit splice box with up to 12 (24) fibers







P | Cabling

We realize ideas

Data sheet

OpDAT REG Splice Distributor for pre-terminated cables

Page 2/4

P/N 15024B10-E EAN 4251122179716

2017-07-02

	2017-07-02
Technical Data	
General Data	
Design	Splice distributor
Color	gray
Dimensions	
Dimension (L x W x H)	79.45 x 128.90 x 121.20 mm
Dimension (L x W x H)	3.128 x 5.075 x 4.772 in.
Labeling option	identification label
Connections/interfaces	
Cable access/outlet	from top or bottom, with M20 gland (up to 2 possible)
Ground connection	grounding bolt M4 x10 with nut and lock washer
Materials and material properties	
Material - Housing	steel
Material - Front cover	Frianyl
Approvals	
RoHS	compliant
Classifications	
ETIM 6.0	EC001130
Packing details	
Type of packaging	1 pc(s) / box







We realize ideas

Data sheet

OpDAT REG Splice Distributor for pre-terminated cables

Page 3/4

P/N 15024B10-E EAN 4251122179716

2017-07-02

Accessories

P/N	Designation
15090402-I	OpDAT shrink splice protection
130810-01-E	Cover plate 3RU/7HP
130898-00-I	BLIND module light gray
130898-00-RW-I	BLIND module pure white
150240M20Z-E	OpDAT REG strain relief M20
15090401-E	OpDAT crimp splice protection







We realize ideas

P Cabling

Data sheet

OpDAT REG Splice Distributor for pre-terminated cables


Page 4/4

P/N 15024B10-E EAN 4251122179716

2017-07-02

Illustrations

Dimensional drawing





Members of METZ CONNECT

